



# raccords fonte cast iron fittings




## Coude M.F. - G.R. 90° M.F. - G.R. Elbow 90°



Ø	Code	EURO	Code	EURO
8x13	1 N 1		1 G 1	
12x17	1 N 2		1 G 2	
15x21	1 N 3		1 G 3	
20x27	1 N 4		1 G 4	
26x34	1 N 5		1 G 5	
33x42	1 N 6		1 G 6	
40x49	1 N 7		1 G 7	
50x60	1 N 8		1 G 8	
66x76	1 N 9		1 G 9	
80x90	1 N 10		1 G 10	

## Coude F.F. - G.R. 90° F.F. - G.R. Elbow 90°




Ø	Code	EURO	Code	EURO
8x13	2 N 1		2 G 1	
12x17	2 N 2		2 G 2	
15x21	2 N 3		2 G 3	
20x27	2 N 4		2 G 4	
26x34	2 N 5		2 G 5	
33x42	2 N 6		2 G 6	
40x49	2 N 7		2 G 7	
50x60	2 N 8		2 G 8	
66x76	2 N 9		2 G 9	
80x90	2 N 10		2 G 10	

## Coude M.F. - G.R. 45° M.F. - G.R. Elbow 45°



Ø	Code	EURO	Code	EURO
8x13	40 N 1		40 G 1	
12x17	40 N 2		40 G 2	
15x21	40 N 3		40 G 3	
20x27	40 N 4		40 G 4	
26x34	40 N 5		40 G 5	
33x42	40 N 6		40 G 6	
40x49	40 N 7		40 G 7	
50x60	40 N 8		40 G 8	
66x76	40 N 9		40 G 9	
80x90	40 N 10		40 G 10	

## Coude F.F. - G.R. 45° F.F. - G.R. Elbow 45°



Ø	Code	EURO	Code	EURO
12x17	41 N 1		41 G 1	
15x21	41 N 2		41 G 2	
20x27	41 N 3		41 G 3	
26x34	41 N 4		41 G 4	
33x42	41 N 5		41 G 5	
40x49	41 N 6		41 G 6	
50x60	41 N 7		41 G 7	
66x76	41 N 8		41 G 8	
80x90	41 N 9		41 G 9	

## Coude F.F. - P.R. 90° F.F. - P.R. Elbow 90°




Ø	Code	EURO	Code	EURO
8x13	90 N 1		90 G 1	
12x17	90 N 2		90 G 2	
15x21	90 N 3		90 G 3	
20x27	90 N 4		90 G 4	
26x34	90 N 5		90 G 5	
33x42	90 N 6		90 G 6	
40x49	90 N 7		90 G 7	
50x60	90 N 8		90 G 8	
66x76	90 N 9		90 G 9	
80x90	90 N 10		90 G 10	

## Coude M.F. - P.R. 90° M.F. - P.R. Elbow 90°



Ø	Code	EURO	Code	EURO
8x13	92 N 1		92 G 1	
12x17	92 N 2		92 G 2	
15x21	92 N 3		92 G 3	
20x27	92 N 4		92 G 4	
26x34	92 N 5		92 G 5	
33x42	92 N 6		92 G 6	
40x49	92 N 7		92 G 7	
50x60	92 N 8		92 G 8	
66x76	92 N 9		92 G 9	
80x90	92 N 10		92 G 10	

# raccords fonte cast iron fittings



## Coude union F.F. F.F. Union elbow



Noir  
96 N  
96 G  
Galva

Ø	Code	EURO	Code	EURO
8x13	96 N 1		96 G 1	
12x17	96 N 2		96 G 2	
15x21	96 N 3		96 G 3	
20x27	96 N 4		96 G 4	
26x34	96 N 5		96 G 5	
33x42	96 N 6		96 G 6	
40x49	96 N 7		96 G 7	
50x60	96 N 8		96 G 8	
66x76	96 N 9		96 G 9	
80x90	96 N 10		96 G 10	

## Coude union M.F. M.F. Union elbow



Noir  
98 N  
98 G  
Galva

Ø	Code	EURO	Code	EURO
8x13	98 N 1		98 G 1	
12x17	98 N 2		98 G 2	
15x21	98 N 3		98 G 3	
20x27	98 N 4		98 G 4	
26x34	98 N 5		98 G 5	
33x42	98 N 6		98 G 6	
40x49	98 N 7		98 G 7	
50x60	98 N 8		98 G 8	
66x76	98 N 9		98 G 9	
80x90	98 N 10		98 G 10	


## Té F.F.F. F.F.F. Tee



Noir  
130 N  
130 G  
Galva

Ø	Code	EURO	Code	EURO
8x13	130 N 1		130 G 1	
12x17	130 N 2		130 G 2	
15x21	130 N 3		130 G 3	
20x27	130 N 4		130 G 4	
26x34	130 N 5		130 G 5	
33x42	130 N 6		130 G 6	
40x49	130 N 7		130 G 7	
50x60	130 N 8		130 G 8	
66x76	130 N 9		130 G 9	
80x90	130 N 10		130 G 10	

## Manchon Socket



Noir  
270 N  
270 G  
Galva

Ø	Code	EURO	Code	EURO
8x13	270 N 1		270 G 1	
12x17	270 N 2		270 G 2	
15x21	270 N 3		270 G 3	
20x27	270 N 4		270 G 4	
26x34	270 N 5		270 G 5	
33x42	270 N 6		270 G 6	
40x49	270 N 7		270 G 7	
50x60	270 N 8		270 G 8	
66x76	270 N 9		270 G 9	
80x90	270 N 10		270 G 10	

## Mamelon double Twin nipple



Noir  
280 N  
280 G  
Galva

Ø	Code	EURO	Code	EURO
8x13	280 N 1		280 G 1	
12x17	280 N 2		280 G 2	
15x21	280 N 3		280 G 3	
20x27	280 N 4		280 G 4	
26x34	280 N 5		280 G 5	
33x42	280 N 6		280 G 6	
40x49	280 N 7		280 G 7	
50x60	280 N 8		280 G 8	
66x76	280 N 9		280 G 9	
80x90	280 N 10		280 G 10	

## Union F.F. F.F. Union



Noir  
340 N  
340 G  
Galva

Ø	Code	EURO	Code	EURO
8x13	340 N 1		340 G 1	
12x17	340 N 2		340 G 2	
15x21	340 N 3		340 G 3	
20x27	340 N 4		340 G 4	
26x34	340 N 5		340 G 5	
33x42	340 N 6		340 G 6	
40x49	340 N 7		340 G 7	
50x60	340 N 8		340 G 8	
66x76	340 N 9		340 G 9	
80x90	340 N 10		340 G 10	

# raccords fonte cast iron fittings

## Union Mâle/Femelle Male/Female Union



Noir  
341 N  
341 G  
Galva

Ø	Code	EURO	Code	EURO
8x13	341 N 1		341 G 1	
12x17	341 N 2		341 G 2	
15x21	341 N 3		341 G 3	
20x27	341 N 4		341 G 4	
26x34	341 N 5		341 G 5	
33 x 42	341 N 6		341 G 6	
40 x 49	341 N 7		341 G 7	
50 x 60	341 N 8		341 G 8	
66 x 76	341 N 9		341 G 9	
80 x 90	341 N 10		341 G 10	

## Bouchon Mâle Male Plug



Noir  
290 N  
290 G  
Galva

Ø	Code	EURO	Code	EURO
8x13	290 N 1		290 G 1	
12x17	290 N 2		290 G 2	
15x21	290 N 3		290 G 3	
20x27	290 N 4		290 G 4	
26x34	290 N 5		290 G 5	
33 x 42	290 N 6		290 G 6	
40 x 49	290 N 7		290 G 7	
50 x 60	290 N 8		290 G 8	
66 x 76	290 N 9		290 G 9	
80 x 90	290 N 10		290 G 10	

## Bouchon Femelle Female Plug



Noir  
300 N  
300 G  
Galva

Ø	Code	EURO	Code	EURO
8x13	300 N 1		300 G 1	
12x17	300 N 2		300 G 2	
15x21	300 N 3		300 G 3	
20x27	300 N 4		300 G 4	
26x34	300 N 5		300 G 5	
33 x 42	300 N 6		300 G 6	
40 x 49	300 N 7		300 G 7	
50 x 60	300 N 8		300 G 8	
66 x 76	300 N 9		300 G 9	
80 x 90	300 N 10		300 G 10	

## Té réduit Reducing te



Noir  
130 RN  
130 RG  
Galva

Ø	Code	EURO	Code	EURO
12/8/12	130 RN 1		130 RG 1	
15/8/15	130 RN 2		130 RG 2	
15/12/15	130 RN 3		130 RG 3	
20/12/20	130 RN 4		130 RG 4	
20/15/20	130 RN 5		130 RG 5	
26/20/26	130 RN 6		130 RG 6	
26/15/26	130 RN 7		130 RG 7	
33/26/33	130 RN 8		130 RG 8	
40/33/40	130 RN 9		130 RG 9	
50/40/50	130 RN 10		130 RG 10	


## Mamelon réduit Mâle/Mâle Male/Male Reducing bush



Noir  
245 N  
245 G  
Galva

Ø	Code	EURO	Code	EURO
12/8	245 N 1		245 G 1	
15/8	245 N 2		245 G 2	
15/12	245 N 3		245 G 3	
20/12	245 N 4		245 G 4	
20/15	245 N 5		245 G 5	
26/12	245 N 6		245 G 6	
26/15	245 N 7		245 G 7	
26/20	245 N 8		245 G 8	
33/15	245 N 9		245 G 9	
33/20	245 N 10		245 G 10	
33/26	245 N 11		245 G 11	
40/20	245 N 12		245 G 12	
40/26	245 N 13		245 G 13	
40/33	245 N 14		245 G 14	
50/26	245 N 15		245 G 15	
50/33	245 N 16		245 G 16	
50/40	245 N 17		245 G 17	
66/50	245 N 18		245 G 18	
80/50	245 N 19		245 G 19	
80/66	245 N 20		245 G 20	

# raccords fonte cast iron fittings



## Mamelon réduit Femelle/Femelle Female/Female Reducing bush



Noir  
240 N  
240 G  
Galva

Ø	Code	EURO	Code	EURO
12/8	240 N 1		240 G 1	
15/8	240 N 2		240 G 2	
15/12	240 N 3		240 G 3	
20/8	240 N 4		240 G 4	
20/12	240 N 5		240 G 5	
20/15	240 N 6		240 G 6	
26/12	240 N 7		240 G 7	
26/15	240 N 8		240 G 8	
26/20	240 N 9		240 G 9	
33/15	240 N 10		240 G 10	
33/20	240 N 11		240 G 11	
33/26	240 N 12		240 G 12	
40/15	240 N 13		240 G 13	
40/20	240 N 14		240 G 14	
40/26	240 N 15		240 G 15	
40/33	240 N 16		240 G 16	
50/15	240 N 17		240 G 17	
50/20	240 N 18		240 G 18	
50/26	240 N 19		240 G 19	
50/33	240 N 20		240 G 20	
50/40	240 N 21		240 G 21	
66/40	240 N 22		240 G 22	
66/50	240 N 23		240 G 23	
80/50	240 N 24		240 G 24	
80/66	240 N 25		240 G 25	
102/66	240 N 26		240 G 26	
102/80	240 N 27		240 G 27	

## Mamelon réduit Mâle/Femelle Male/Female Reducing bush



Noir  
241 N  
241 G  
Galva

Ø	Code	EURO	Code	EURO
12/8	241 N 1		241 G 1	
15/8	241 N 2		241 G 2	
15/12	241 N 3		241 G 3	
20/8	241 N 4		241 G 4	
20/12	241 N 5		241 G 5	
20/15	241 N 6		241 G 6	
26/8	241 N 7		241 G 7	
26/12	241 N 8		241 G 8	
26/15	241 N 9		241 G 9	
26/20	241 N 10		241 G 10	
33/12	241 N 11		241 G 11	
33/15	241 N 12		241 G 12	
33/20	241 N 13		241 G 13	
33/26	241 N 14		241 G 14	
40/15	241 N 15		241 G 15	
40/20	241 N 16		241 G 16	
40/26	241 N 17		241 G 17	
40/33	241 N 18		241 G 18	
50/15	241 N 19		241 G 19	
50/20	241 N 20		241 G 20	
50/26	241 N 21		241 G 21	
50/33	241 N 22		241 G 22	
50/40	241 N 23		241 G 23	
66/40	241 N 24		241 G 24	
66/50	241 N 25		241 G 25	
80/50	241 N 26		241 G 26	
80/66	241 N 27		241 G 27	
102/66	241 N 28		241 G 28	
102/80	241 N 29		241 G 29	

## Mamelon réduit Femelle/Mâle Female/Male Reducing bush



Noir  
246 N  
246 G  
Galva

Ø	Code	EURO	Code	EURO
15/12	246 N 1		246 G 1	
20/12	246 N 2		246 G 2	
20/15	246 N 3		246 G 3	
26/15	246 N 4		246 G 4	
26/20	246 N 5		246 G 5	
33/20	246 N 6		246 G 6	
33/26	246 N 7		246 G 7	
40/26	246 N 8		246 G 8	
40/33	246 N 9		246 G 9	
50/26	246 N 10		246 G 10	
50/33	246 N 11		246 G 11	